

**COUNCIL OF MINISTERS REGULATIONS TO PROVIDE FOR WILDLIFE
DEVELOPMENT, CONSERVATION AND UTILIZATION**

These Regulations are issued by the Council of Ministers pursuant to Article 5 of the Definition of Powers and Duties of the Executive Organs of the Federal Democratic Republic of Ethiopia Proclamation No. 471/2005 and Article 17(1) of the Wildlife Development, Conservation and Utilization Proclamation No. 541/2007.

PART ONE

GENERAL

1. **Short Title**

These Regulations may be cited as the "Wildlife Development, Conservation and Utilization Council of Ministers Regulations No. 163/2008".

2. **Definitions**

In these Regulations, unless the context otherwise requires:

- 1/ "Proclamation" means the Development, Conservation and Utilization of Wildlife Proclamation No. 541/2007;
- 2/ the definitions provided under Article 2 of the Proclamation shall be applicable;
- 3/ "authorized officer" means the Director General, Department head, game warden, wildlife expert, game scout, assistant game scout, anti-poaching officer of the Authority or any other person appointed in writing by the Authority to fulfill the functions under the provisions of this regulations;
- 4/ "community wildlife development, conservation and utilization area" means any conservation area outside protected areas administered by either the government or private concessionaire, and put under the management and utilization of the local community;
- 5/ "license" means a permit given to any legal dealer or owner of wildlife and their products and include trophy hunting permit, hunting operation permit, capturing permit, taxidermy permit, live export permit, ownership certificate and wildlife filming permit.
- 6/ "dealer" means any person who is authorized by the Authority to carry on business in wildlife products and articles made of wildlife products including carving, polishing, exhibiting or otherwise preparing products or manufacturing any product from trophies;
- 7/ "CITES" means the Convention on International Trade in Endangered Species of Wild Fauna and Flora;

- 8/ “species” means a particular kind of animal or plant distinguished by morphological and genetical taxonomic categorization into specific group and includes sub-species;
- 9/ “Authority” means the Ethiopian Wildlife Conservation Authority;
- 10/ “revenue” means any money collected from hunting, filming, wildlife and wildlife product dealings, wildlife research fee, park entrance fee, campsite renting fee, license issuance and renewal fee;
- 11/ any expression in the masculine gender includes the feminine.

PART TWO

MANAGEMENT OF WILDLIFE CONSERVATION AREAS

3. Boundaries of Wildlife Conservation Areas

The existing boundaries of national parks, wildlife reserves, wildlife sanctuaries, wildlife controlled hunting areas, community wildlife development, protection and utilization areas shall be maintained or they may be re-delineated by the Federal and regional governments to improve their management.

4. Wildlife Conservation Areas to be administered by the Federal and Regional Governments

- 1/ Pursuant to the criteria provided for under sub-articles (1) of Article 4 of Proclamation, Simien Mountains National Park, Bale Mountains National Park, Nechisar National Park, Omo National Park, Abijata Shala Lakes National Park, Awash National Park, Senkele Swayne’s Hartebeest Sanctuary, Babilie Elephant Sanctuary, Gambella National Park, Alatish National Park, Kafta Shiraro National Park and Geraffe National Park shall be administered by the Authority; provided however, that the Authority may, where necessary, delegate its powers to the appropriate organs of regional governments.
- 2/ Wildlife conservation areas other than those specified under sub-article (1) of this Article shall be administered by the regional governments and local communities.

5. Prohibited Activities in National Parks, Wildlife Sanctuaries and Wildlife Reserves

- 1/ No person shall carry out any of the following activities in a national park, wildlife sanctuary or wildlife reserve unless otherwise provided in these Regulations:
 - a) possessing or transferring of any weapon;
 - b) hunting or fishing;
 - c) propelling any vehicle, aircraft or boat;

- d) picking, disturbing, destroying, damaging or defacing any natural or man-made object;
- e) undertaking agricultural activities or preparing land for cultivation;
- f) allowing to graze and water domestic animals;
- g) allowing, passing through or keeping any domestic or wild animals;
- h) undertake exploration and mining ;
- i) planting, cutting, chopping, removing, taking, damaging or transferring any plant species;
- j) setting or attempting to set fire;
- k) bee keeping or honey harvesting, removing or attempting to remove wildlife products;
- l) constructing roads or other structures or spoiling or disturbing the existing natural landscapes;
- m) using, spraying or disposing any pesticide or herbicide;
- n) selling or offering for sale any goods or providing services;
- o) displaying any notice or advertisement.

2/ Notwithstanding sub-article (1) of this Article the following activities may be permitted, in writing, by the Authority or the relevant regional organ to be undertaken in National parks and wildlife sanctuaries:

- a) bona fide tour operators and tourists may enter and stay in a national park or wildlife sanctuary and do such things as are permitted in accordance with directives issued pursuant to these Regulations;
- b) bona fide professional photographers, writers and artists may enter and stay in a national park or wildlife sanctuary and carry out their professional activities;
- c) Authorized officers and their families may enter and reside in a national park or wildlife sanctuary in the course of discharging their duties;
- d) Authorized officers and permitted scientists may collect wildlife products, cut or burn vegetation, propel vehicles and undertake construction works in accordance with these Regulations and directives issued hereunder;
- e) Based on agreements made between a national park or wildlife sanctuary management and the surrounding communities seasonal utilization of natural resources such as bee-keeping and honey harvesting, cutting and taking of forage and medicinal plant collection, may be permitted under controlled conditions.
- f) Mining and other development activities can be performed in accordance with wildlife development, protection and utilization activities.

- 3/ Notwithstanding sub-article (1) of this Article the Authority or the relevant regional organ may authorize:
 - a) government employees on duty in a wildlife reserve and their families and resident researchers to reside temporarily in the wildlife reserve; and
 - b) persons who were inhabitants of a wildlife reserve prior to the date of its establishment, to continue residing therein.
- 4/ Persons authorized to reside in a wildlife reserve pursuant to sub-article 3(b) of this Article shall have the right to cultivate their land plots without expanding, to allow their domestic animals graze and water, and to undertake bee keeping therein; provided however, that if the organ administering the wildlife reserve wishes to further develop the area, the inhabitants may be resettled elsewhere.

6. Hunting Wildlife

- 1/ Hunting any wildlife either within a controlled hunting area or a community conservation area or any other potential wildlife area shall be prohibited unless carried out in accordance with conditions of a permit issued pursuant to these Regulations with reference to a specific controlled hunting area.
- 2/ Hunting in the absence of a professional hunter and a hunting controller of the Authority or the concerned regional government shall be prohibited.
- 3/ Regions and the Authority shall demarcate controlled hunting areas and may give, through formal auction, concession to safari operators for a period not exceeding five years.
- 4/ No safari operator may be allowed to undertake hunting operations, without the consent of the concessionaire, in a controlled hunting area granted to another safari operator on concession.
- 5/ Safari operation license shall be renewed every year from 8th July to the 6th day of August.
- 6/ Any controlled hunting area concession agreement may be terminated on any of the following grounds:
 - a) unless renewed, where the concession period expires;
 - b) where the safari operator allowed the hunting of wildlife species not included in the permit or in excess of the authorized quota;
 - c) where the safari operator fails to settle, on time, the annual concession fee as provided in the concession agreement;
 - d) where the safari operator fails to meet his obligations under the concession agreement, in particular, with respect to natural resource management requirements within the controlled hunting area.

7. Community Wildlife Conservation Areas

- 1/ Local communities shall administer and develop community conservation areas and utilize wildlife resources therein.
- 2/ Local communities shall participate in eco-tourism activities and use the income for the development of the communities.
- 3/ With approval of annual quota by the appropriate body, a local community may allow the hunting of wildlife in its conservation area by legally authorized hunters; and use the income for satisfying the basic needs of the community.
- 4/ The local community shall:
 - a) by using its own funds or funds obtained from other sources, undertake development activities to improve the conditions of the wildlife conservation area;
 - b) train personnel required for wildlife conservation;
 - c) undertake development activities which are non-detrimental to the natural resources of the wildlife conservation areas;
 - d) mobilize financial contributions and labor to support the development of the wildlife conservation area;
 - e) determine utilization preferences in the wildlife conservation area in consultation with the relevant organ of the regional government.

PART THREE
LICENSES

8. Requirement of Obtaining License

No person may hunt or capture any game animal, take wildlife products, conduct filming within or outside of protected areas or undertake research on wildlife and their habitat unless he is the holder of a license.

9. Eligibility for License

- 1/ Any person who has been convicted of an offence or whose license has been revoked due to a violation of the law with respect to the conservation of wildlife during the period of five years preceding the date of an application for a license may not be eligible for a license to be issued in accordance with these Regulations.
- 2/ Any person who has not attained the age of 18 or who do not have a certificate of physical and medical fitness may not be eligible to apply for a professional hunting license.

- 3/ Without prejudice to the provisions of sub-articles (1) and (2) of this Article, other eligibility requirements of any license shall be prescribed by directives to be issued by the Authority in consultation with the appropriate organs of regional governments.
- 4/ Any person who wants to get a any license in accordance with these Regulations shall fill in the application form designed by the Authority and submit same together with evidences showing his fulfillment of the eligibility requirements.

10. Issuance of License

- 1/ The applicant shall be issued with the required license upon acceptance of an application submitted in accordance with Article 9(4) of these Regulations and upon payment of the appropriate license fee.
- 2/ Any license shall be subject to the provisions of these Regulations and to the conditions and limitations endorsed thereon.

11. Renewal of License

- 1/ Any license shall be renewed every year upon payment of the regular license fee from the 8th of July to the 6th day of August. or upon payment of additional fee thereafter.
- 2/ An application for renewal of license may not be accepted where the license is subject for suspension or revocation pursuant to the provisions of Article 17 of these Regulations.
- 3/ The applicant shall produce proof of government tax payments.

12. License Fees

- 1/ The license fees to be paid for the issuance or renewal of licenses pursuant to these Regulations shall be as prescribed in Table II of these Regulations .
- 2/ Where any licensee presents his license for late renewal:
 - a) within the period not later than the 6th of September, he shall be required to pay 30% of the license fee in addition to the regular payment;
 - b) after the 6th of September, he shall be required to pay 50% of the license fee in addition to the regular payment;.

13. Hunting Fees and Wildlife Products' Tariff

- 1/ The fees payable for hunting wildlife species and the price of wildlife products shall be in accordance with the tariffs prescribed on the tables attached to these Regulations; provided, however that fees not specified in

the tables shall be fixed by the Authority in consultation with the concerned regions.

- 2/ Any advance payment of hunting fees shall be non-refundable.

14. Carrying of Licenses

- 1/ The holder of any license shall carry it with him when engaged in any activity authorized by the license.
- 2/ Any license holder shall be required to register the data relating to the killing of wildlife species in accordance with the form attached to the license. The form shall be handed over to the issuing body together with the license upon the expiry of the license or departure of the licensee from Ethiopia.
- 3/ Any license holder shall enter in the form wildlife product obtained during the hunting before removing it from the hunting site; and in the case of a wildlife species merely wounded, the particulars shall be clearly recorded in the form.

15. Killed or Wounded Wildlife Species

- 1/ Any wounded or killed animal by the holder of a hunting license in any circumstance shall be counted against the hunter.
- 2/ Any licensed hunter shall pay:
 - a) twofold of the price of the wildlife as a fine if the trophy of a hunted wildlife is found to be below the required size;
 - b) twofold of the price of male wildlife if a female wildlife is hunted.

16. Transfer of License

- 1/ No person shall transfer any license to any other person or be entitled to use any license that does not belong to him; provided, however that if a tourist hunter cancels his safari due to circumstances beyond his control, he may, upon payment of 25% additional hunting fee, transfer his safari booking to his legally authorized agent within six months.
- 2/ If a licensed hunter is forced to cancel his hunting safari before beginning or completing his safari days due to circumstances beyond his control, he may continue with his safari within six months without payment of any additional fee.

17. Suspension and Cancellation of Licenses

- 1/ An authorized officer of the licensing body may suspend any license if the holder violates any of the provisions of these regulations or the conditions specified in the license. The head of the licensing body may lift or approve the suspension or cancel the license after investigation.

- 2/ Where any person is convicted for an offence committed in violation of the provisions of these Regulations, any license held by him at the time of the conviction shall be automatically cancelled unless the court specifically directs otherwise.
- 3/ The holder of a license which is cancelled shall hand over the same to the licensing body within five days.

18. Foreign Tourist Hunting License

- 1/ Foreign tourist license may be issued by the Authority to a foreign tourist hunter for hunting wildlife species specified on Table IV of these Regulations.
- 2/ The number of wild animals to be hunted by using a foreign tourist license shall be fixed by the licensing body depending on the approved annual hunting quota and shall be limited to a single wildlife from each species.
- 3/ Any tourist hunting license shall be valid for a period of two months from the date of its issuance.
- 4/ Certain wildlife species may be excluded from or added to the list shown on Table IV of these Regulations upon reviewing, from time to time, the status of the species and their habitat.

19. Resident Hunter License

- 1/ Resident hunter license may be issued by the appropriate regional body to resident foreign hunters or Ethiopians for hunting wildlife species specified on Table V of these Regulations.
- 2/ Resident hunter license shall be valid for a period of 15 days.

20. Game Bird Hunting License

- 1/ Game bird hunting license may be issued by the appropriate regional body for hunting game bird species specified on Table VI of these Regulations.
- 2/ Game bird hunting license shall be valid for one month from the date of its issuance.
- 3/ Taking into consideration the rainfall distribution of the hunting area and the game bird breeding season, hunting may not be conducted:
 - a) from the 8th day of June until the 9th day of December in the central highland parts of Ethiopia;
 - b) from the 10th day of March until the 5th day of September in the southern and eastern parts of Ethiopia.

21. Snipe Hunting License

- 1/ Snipe hunting license may be issued by the appropriate regional body to a foreign tourist or resident hunter.
- 2/ The snipe species to be hunted shall be only the great snipe (*gallinago media*) and the common snipe (*gallinago gallinago*).
- 3/ Snipe hunting season shall last from the 1st day of Nephase upto the 30th day of Tikmit.

22. Special Hunting License for Scientific Studies

- 1/ The Authority may issue special hunting license where the use of a game animal is required for scientific studies.
- 2/ A special hunting license shall be valid for such period as shall be specified thereon.
- 3/ Where the holder of a special hunting license lacks the required hunting skill, he shall conduct the hunting with the help of an expert assigned by the Authority.

23. Wildlife Trapping License

- 1/ A wildlife trapping license may be issued to capture any wildlife listed on Table VIII of these Regulations.
- 2/ The licensing body shall, before granting a wildlife trapping license, require the applicant to state to its satisfaction his experience in capturing and handling game animals, the purpose for which the captured animal is required, the proposed methods of capture and the crating and transfer arrangements at his disposal.
- 3/ Wildlife trapping license shall be valid for such period as may be specified thereon.
- 4/ Any wildlife died in the course of or subsequent to its capture shall be counted against the holder of the license.
- 5/ The holder of a wildlife trapping license may not use any snare, poison or poisoned weapon for capturing any wildlife or shoot at any wildlife except where it is necessary for the defense of himself or any other person; provided however, that the use of darting gun may be authorized by the licensing body.
- 6/ The holder of the license shall be liable for any injury inflicted to any person or damage caused to property by a captured wildlife.

24. Prohibited Animals for Hunting

No person may be allowed to hunt wildlife species listed in Table X of these Regulations except in accordance with Article 22 of these Regulations.

25. Prohibited Methods of Hunting

- 1/ No person shall, for the purpose of hunting:
 - a) approach to any wild life, within a distance of two hundred meters, using a motor vehicle, vessel or an aircraft;
 - b) set fire or drive or surround any wildlife by fire;
 - c) except with respect to nocturnal species, conduct hunting during darkness;
 - d) use dogs other than with respect to birds;
 - e) use any trap having a jaw length of eight or more centimeters or any similar snare made of wire;
 - f) automatically set shot gun, pitfall, trench, net, enclosure, snare, poison or any such injurious methods or any self-loading weapon;
 - g) use a fire arm of .22 calibers except with respect to small wildlife species such as birds, dik dik, duiker, hare and jackals;
 - h) use air rifle or pistol for any wildlife other than for small grazers;
 - i) use fire arm from 0.240 to 0.300 caliber for any wildlife except medium sized wild animals such as grant's gazelle, bohor, bushbuck and lesser kudu, etc;
 - j) use fire arms other than from 0.300 to 0.378 caliber for larger wildlife species such as oryx, kudu and waterbuck etc;
 - k) use firearms other than from 0.375 to 0.600 caliber for larger and dangerous wildlife species such as buffalo, hippopotamus, lion and leopard;
 - l) use any explosive projectile, bomb or grenade;
 - m) except in accordance with the written authorization of the licensing body, use any missile or projectile containing any drug or chemical or substance which has the property of anesthetizing, paralyzing, stupefying or rendering incapable, whether partly or totally any game animal.
- 2/ The provisions of sub-article (1) of this Article shall not apply to authorized officers or to persons acting in accordance with a specific written authorization given by the licensing body.

PART FOUR

LAWFUL POSSESSION OF WILDLIFE AND WILDLIFE PRODUCTS

26. Certificate of Ownership

- 1/ The licensing body may, upon receipt of an application completed on the prescribed form, issue a certificate of ownership to the possessor of any wildlife or wildlife products acquired in compliance with the provisions of these Regulations. Apart from certificate of ownership, CITES certificate shall be issued when necessary.
- 2/ Any person selling or transferring any wildlife or wildlife products to any person shall, at the time of the transaction, transfer the certificate of ownership to that person and shall endorse thereon the date and particulars of the transaction.

27. Wildlife Dealer's License

- 1/ No person shall engage in the business of trading wildlife, wildlife products or articles made of wildlife products including carving, mounting or otherwise preparing wildlife product or manufacturing any article from wildlife products unless he is the holder of a wildlife dealer's license.
- 2/ The holder of a wildlife dealer's license shall maintain records of his dealings in the manner prescribed by the licensing body and shall, upon request, produce the records for inspection.
- 3/ Wildlife dealer's license shall be renewed every year upon payment of the appropriate renewal fee.

28. Importation of Wildlife and Wildlife Products

- 1/ Wildlife and wildlife products may be imported only through customs port of entry upon presentation of satisfactory evidence to show that they have been lawfully exported from the country of origin and upon presentation of health certificate.
- 2/ Where the wildlife or wildlife products are of CITES species presentation of CITES export permit obtained from their country of origin and, where they fall under CITES Appendix I, CITES import permit obtained from the Authority shall be required.

29. Exportation of Wildlife and Wildlife Products

- 1/ Any person who exports wildlife or wildlife products shall:
 - a) obtain export permit from the Authority upon presentation of a certificate of lawful possession in respect of such wildlife or wildlife products;

- b) observe the conditions of the export permit issued by the Authority;
 - c) pay all legally applicable charges and taxes;
 - d) where the wildlife or wildlife products are of CITES species, obtain CITES export permit from the Authority as well as CITES import permit from the country of import where they fall under CITES Appendix I.
- 2/ Any wildlife or wildlife products export permit shall be valid only for six months from the date of issuance.

30. Wildlife or Wildlife Product in Transit

- 1/ Any wildlife or wildlife product in transit through Ethiopia shall be accompanied with:
- a) the necessary transit documents and health certificate issued from the country of origin; and
 - b) CITES permit if the wildlife or wildlife product is a CITES species.
- 2/ If the wildlife or wildlife product is a CITES species and the country of origin is not signatory to CITES, the wildlife or wildlife product shall not be allowed to transit through Ethiopia.

31. Unlawful Possession of Wildlife and Wildlife Products

- 1/ No person may possess, deal in, export or import any unlawfully obtained wildlife or wildlife products.
- 2/ Any unlawfully possessed wildlife or wildlife product shall be seized and, upon the order of a competent court, shall be owned by licensing body.
- 3/ Where unlawfully possessed wildlife or wildlife product is confiscated in accordance with the provisions of sub-article (2) of this Article, 30% of its value shall be paid, as a commission, to the person acted as an informant leading to its recovery and 10% of its value to the person who actually seized it, or 40% of its value to the person who accomplished both such deeds.

32. Disposal of Wildlife Products

- 1/ Where any wildlife product is proved to be of no use, it shall be disposed of in a manner having no adverse effect to the local community and the ecology.
- 2/ The disposal procedure shall be executed in presence of observers assigned by the licensing body.

PART FIVE
MISCELLANEOUS PROVISIONS

33. Wildlife Endangering Human Life or Causing Damage to Properties

- 1/ Nothing herein contained shall apply to the killing or wounding of wildlife in the defense of human life; provided however, that this provision may not exonerate any person who, when such defense becomes necessary was committing an act in contravention of any provision hereof.
- 2/ Any person shall be entitled to hunt any wildlife causing damage to his property and to employ in so doing methods, other than using poison, which would otherwise be prohibited hereunder.
- 3/ Any person shall, whenever possible, notify the concerned licensing body of his intention to hunt any wildlife pursuant to sub-article (2) of this Article. The licensing body may, on receiving such notification, prohibit the person from hunting and undertake alternative measures by itself to avoid damage to the person's property or instruct the person to undertake the proposed alternative measures.
- 4/ Any person killing or wounding a wildlife under pursuant to this Article shall, as soon as possible, report the incident to the licensing body or the nearest administration or police organ. The wildlife product obtained from such killing shall be the property of the licensing body.
- 5/ Any authorized officer may kill any wildlife by employing the appropriate method if he considers it necessary for the protection of public interest.

34. Tourist Hunter's Assistants

- 1/ Any person assisting a tourist hunter may not wound, kill, capture or shoot at a wildlife which has been previously wounded by such hunter unless himself is the holder of a license issued pursuant to these Regulations.
- 2/ Any wildlife wounded, killed or captured by a tourist hunter's assistant shall be counted against the tourist hunter.

35. Pursuit of Wounded Wildlife and Danger Reports

- 1/ Any person who has wounded a wildlife shall make all possible efforts to kill it; provided however, that he shall not follow the wounded game animal into a wildlife conservation area unless he is the holder of the license authorizing him to hunt such species.

- 2/ Any person who has wounded buffalo, elephant, hippopotamus, leopard or lion shall, as soon as possible, submit to the licensing body or the nearest administration or police organ a danger report specifying:
- a) the kind of animal wounded;
 - b) the date, time and place of the wounding;
 - c) the nature of the wound and the weapon by which inflicted;
 - d) efforts made to pursue the animal after wounding; and
 - e) any other information likely to be of use in locating and identifying the animal.

36. Revenue Sharing

The Authority shall transfer to the concerned regions 85% of the revenue collected from trophy hunting, live export and filming.

37. Penalties

Any person who contravenes the provisions of these Regulations shall be punishable in accordance with the provisions of the Proclamation and Criminal Code.

38. Effective Date

These Regulations shall enter into force as of their publication in the Federal Negarit Gazeta.

Done at Addis Ababa, this 18th day of February, 2009.

MELES ZENAWI
PRIME MINISTER OF THE FEDERAL DEMOCRATIC
REPUBLIC OF ETHIOPIA

Table I
Wildlife Parks and Sanctuaries Entrance Fees

A. Based on Type and Age of Visitors

| No. | Type of Visitor | Birr |
|------------|--------------------------|-------------|
| 1 Eth | Ethiopians | |
| | 1.1 12 years and above | 20.00 |
| | 1.2 less than 12 years | 10.00 |
| | 1.3 Students | 10.00 |
| 2 | Foreign Resident Tourist | |
| | 2.1 12 years and above | 50.00 |
| | 2.2 less than 12 years | 10.00 |
| 3 | Foreign Tourist | |
| | 3.1 12 years and above | 90.00 |
| | 3.2 less than 12 years | 10.00 |

B. Based on Vehicle Seat Number

| No. | Vehicle Seat Number | Birr | | |
|------------|----------------------------|-------------------|--------------------------|-------------------------|
| | | Ethiopians | Foreign Residents | Foreign Tourists |
| 1 | Up to 12 seats | 10.00 | 15.00 | 20.00 |
| 2 | Greater than 12 seats | 15.00 | 30.00 | 40.00 |

C. Camping Fee for 24 Hours

| No | Nationality of Tourist | Birr |
|-----------|---|-------------|
| 1 Eth | Ethiopian | |
| | 1.1 for a tent accommodating up to four persons | 10.00 |
| | 1.2 for a tent accommodating more than four persons | 15.00 |
| 2 For | Foreign Resident | |
| | 2.1 for a tent accommodating up to four persons | 30.00 |
| | 2.2 for a tent accommodating more than four persons | 40.00 |
| 3 Fo | Foreign Tourist | |
| | 3.1 for a tent accommodating up to four persons | 40.00 |
| | 3.2 for a tent accommodating more than four persons | 60.00 |

D. Landing Fee

| No | Duration of Stay | Birr |
|-----------|-----------------------------|-------------|
| 1 | Single landing and take off | |
| | 1.1 for single motor | 500 |
| | 1.2 for double motor | 900 |
| 2 | 48 hours stay | |
| | 1.1 for single motor | 500 |
| | 1.2 for double motor | 900 |

Table II**Issuance and Renewal Fees for Different Licenses**

| No. | Type of License | Birr | USD |
|------------|--|-------------|------------|
| 1 | Hunting Operation License | 4000 | |
| 2 | Profesional Hunter's Licence | 2500 | |
| 3 | Assistant Profesional Hunter's Licence | 1500 | |
| 4 | Wildlife Utilization License (other than birds) | 200 | |
| 5 | Bird Hunting License other than snipes (for resident hunters) | 1000 | |
| 6 | Bird Hunting License other than snipes (for tourist hunters) | | 1000 |
| 7 | Snipes Hunting License (for resident hunters) | 3000 | |
| 8 | Snipes Hunting License (for tourist hunters) | | 3000 |
| 9 | Wildlife Capturing License | 1500 | |
| 10 | Foreign Researchers License for Scientific Studies per person per year | | 1000 |
| 11 | Wildlife Filming License (from ground) | | 9000 |
| 12 | Wildlife Filming License (from air) | | 15000 |
| 13 | Live Wildlife Trade License | 3000 | |
| 14 | Wildlife Products Trade License | 2500 | |
| 15 | Taxidermy License | 3000 | |
| 16 | Civet Capturing License (for farmers) | 200 | |
| 17 | Crocodile Farming License | 4000 | |
| 18 | Ostrich Farming License | 4000 | |
| 19 | Musk Export License | 1200 | |
| 20 | Hunting rifle license fee | | 100 |
| 21 | Conservation fee/day | | 100 |
| 22 | Hunting observer /day | | 100 |
| 23 | Resident hunter license fee | 2000 | |

| | | | |
|----|-------------------------|---------|--|
| 24 | Professional hunter | | |
| | a) 7-15 days stay | 900 | |
| | b) 15-21 days and above | 2000 | |
| 25 | Concession fee | 100,000 | |

Table III
Unit Price of Crocodiles, Civet and Ostriches

| No. | Species | Price | |
|-----|---------------------------|-------|-----|
| | | Birr | USD |
| 1 | Civet (male) | | |
| | 1.1 Foreign Investor | | 15 |
| | 1.2 Ethiopian Investor | 20 | |
| | 1.3 Farmers/Pastoralist | | |
| | • from 11 up to 50 civet | 2 | |
| | • from 51 up to 100 civet | 5 | |
| 2 | Crocodile (hatchling) | | |
| | 2.1 Foreign Investor | | 2 |
| | 2.2 Ethiopian Investor | 15 | |
| 2. | 3 Farmers/Pastoralist | | |
| | • exceeding 100 | 5 | |
| 3 | Crocodile (Egg) | | |
| | 3.1 Foreign Investor | | 1 |
| | 3.2 Ethiopian Investor | 10 | |
| 3. | 3 Farmers/Pastoralist | | |
| | • exceeding 100 | 3 | |
| 4 | Ostrich (Chick) | | |
| | 4.1 Foreign Investor | | 10 |
| | 4.2 Ethiopian Investor | 50 | |
| 4. | 3 Farmers/Pastoralist | | |
| | • exceeding 100 | 10 | |
| 5 | Ostrich (Egg) | | |
| | 5.1 Foreign Investor | | 1 |
| | 5.2 Ethiopian Investor | 10 | |
| 5. | 3 Farmers/Pastoralist | | |
| | • exceeding 100 | 5 | |

Table IV**List of Wildlife to be allowed for Hunting by Foreign Tourist Hunters and their Unit Prices**

| No. | English Name | Scientific Name | Unit Price (USD) |
|-----|------------------------|-------------------------------------|------------------|
| 1 | Baboon, Anubis | <i>Papio anubis</i> | 100 |
| 2 | Baboon, Gelada | <i>Theropithecus gelada</i> | 3000 |
| 3 | Baboon, Hamadryas | <i>Papio hamadryas</i> | 1000 |
| 4 | Bushbuck, Common | <i>Tragelaphus scriptus</i> | 700 |
| 5 | Bushbuck, Menelik's | <i>Tragelaphus s.meneliki</i> | 6000 |
| 6 | Buffalo | <i>Syncerus caffer</i> | 3000 |
| 7 | Caracal | <i>Felis caracal</i> | 400 |
| 8 | Cat, Wild | <i>Felis silvestris</i> | 200 |
| 9 | Colobus, Black & White | <i>Colobus guereza</i> | 600 |
| 10 | Crocodile, Nile | <i>Crocodylus niloticus</i> | 2000 |
| 11 | Dikdik, Guenther's | <i>Madoqua guentheri</i> | 200 |
| 12 | Dikdik, Salt's | <i>Madoqua saltiana</i> | 340 |
| 13 | Duiker, Grey | <i>Sylvicapra grimmia</i> | 360 |
| 14 | Fox, Bat-Eared | <i>Otocyon megalotis</i> | 300 |
| 15 | Gazelle, Grant's | <i>Gazella granti</i> | 440 |
| 16 | Gazelle, Soemmerring's | <i>Gazella soemmerringi</i> | 2600 |
| 17 | Genet, Common | <i>Genetta genetta</i> | 200 |
| 18 | Genet, Rusty-Spotted | <i>Genetta rubiginosa</i> | 200 |
| 19 | Gerenuk | <i>Litocranius walleri</i> | 3000 |
| 20 | Hare, Abyssinian | <i>Lepus habessinicus</i> | 60 |
| 21 | Hartebeest, Lelwel | <i>Alcelaphus buselaphus lelwel</i> | 4000 |
| 22 | Hippopotamus | <i>Hippopotamus amphibius</i> | 1200 |
| 23 | Hog, Giant Forest | <i>Hylochoerus meinertzhageni</i> | 1000 |
| 24 | Hyaena, Spotted | <i>Crocuta crocuta</i> | 180 |
| 25 | Jackal, Black-backed | <i>Canis mesomelas</i> | 100 |
| 26 | Jackal, Golden | <i>Canis aureus</i> | 160 |
| 27 | Jackal, Side-Striped | <i>Canis adustus</i> | 100 |
| 28 | Klipspringer | <i>Oreotragus oreotragus</i> | 1400 |
| 29 | Kudu, Greater | <i>Tragelaphus strepsiceros</i> | 2700 |
| 30 | Kudu, Lesser | <i>Tragelaphus imberbis</i> | 3000 |
| 31 | Leopard | <i>Panthera pardus</i> | 4600 |
| 32 | Lion | <i>Panthera leo</i> | 4000 |

| No. | English Name | Scientific Name | Unit Price (USD) |
|-----|--------------------------|----------------------------------|------------------|
| 33 | Mongoose, Egyptian | <i>Herpestes ichneumon</i> | 60 |
| 34 | Mongoose, Slender | <i>Herpestes sanguineus</i> | 60 |
| 35 | Mongoose, Southern Dwarf | <i>Helogale parvula</i> | 60 |
| 36 | Monkey, Blue | <i>Cercopithecus mitis</i> | 140 |
| 37 | Monkey, Grivet | <i>Cercopithecus aethiops</i> | 80 |
| 38 | Monkey, Vervet | <i>Cercopithecus pygerythrus</i> | 80 |
| 39 | Nyala, Mountain | <i>Tragelaphus buxtoni</i> | 15000 |
| 40 | Oribi | <i>Ourebia ourebia</i> | 240 |
| 41 | Oryx | <i>Oryx Beisa</i> | 2000 |
| 42 | Ostrich | <i>Struthio camelus</i> | 1600 |
| 43 | Pig,Bush | <i>Potamochoerus porcus</i> | 400 |
| 44 | Porcupine | <i>Hystrix cristata</i> | 50 |
| 45 | Ratel | <i>Mellivora capensis</i> | 300 |
| 46 | Reedbuck,Bohor | <i>Redunca redunca</i> | 700 |
| 47 | Reedbuck, Mountain | <i>Redunca fulvourfula</i> | 1000 |
| 48 | Serval | <i>Felis serval</i> | 360 |
| 49 | Tiang | <i>Damascus lunatus tiang</i> | 1100 |
| 50 | Warthog | <i>Phacochoerus aethiopicus</i> | 400 |
| 51 | Waterbuck, Defassa | <i>Kobus ellipsiprymnus</i> | 1000 |
| 52 | Zorilla | <i>Ictonyx striatus</i> | 100 |
| 53 | Lechwe, Nile | <i>kobus megaceros</i> | 7000 |
| 54 | Kob, White eared | <i>Kobus kob leucotis</i> | 4000 |

Table V

List of Wildlife to be allowed for Hunting by Resident Hunters and their Unit Prices

| No. | English name | Scientific name | Unit Price (USD) |
|-----|---------------------|---------------------------------|------------------|
| 1 | Warthog | <i>Phacochoerus aethiopicus</i> | 240 |
| 2 | Pig, Bush | <i>Potamochoerus porcus</i> | 240 |
| 3 | Hare, Abyssinian | <i>Lepus habessinicus</i> | 36 |
| 4 | Dik dik, Guenther's | <i>Madoqua guentheri</i> | 120 |
| 5 | Monkey, Grivet | <i>Cercopithecus aethiops</i> | 32 |
| 6 | Baboon, Anubis | <i>Papio anubis</i> | 40 |
| 7 | Hyaena, Spotted | <i>Crocota crocuta</i> | 72 |
| 8 | Porcupine | <i>Hystrix cristata</i> | 20 |

Table VI**List of Birds to be allowed for Hunting by Foreign Tourists and Resident Hunters**

| No. | English Name | Scientific Name |
|------------|--------------------------|------------------------------------|
| 1 D | ove, Red-Eyed | <i>Sterptopelia semitorquata</i> |
| 2 D | ove, Ring-Necked | <i>Sterptopelia capicola</i> |
| 3 Duc | k, African Black | <i>Anas sparsa</i> |
| 4 | Fulvous Tree Duck, | <i>Dendrocygna bicolar</i> |
| 5 Duc | k, Maccoa | <i>Oxyura maccoa</i> |
| 6 Du | ck, red-billed | <i>Anas erythrorhynchos</i> |
| 7 D | uck, Tufted | <i>Aythya fuligula</i> |
| 8 Duc | k, White-Backed | <i>Thalassornis leucontis</i> |
| 9 | Duck, white-faced tree | <i>Dendrocygna viduata</i> |
| 10 Du | ck, yellow-Billed | <i>Anas undulata</i> |
| 11 Fra | ncolin, Clapperton's | <i>Francolinus clappertoni</i> |
| 12 F | rancolin, Chestnut-naped | <i>Francolinus castaneicollis</i> |
| 13 Fran | colin, Coqui | <i>Francolinus coqui</i> |
| 14 Fran | colin, Crested | <i>Francolinus sephaena</i> |
| 15 F | rancolin, Erckel's | <i>Francolinus erckelii</i> |
| 16 | Francolin, Scaly | <i>Francolinu squamatus</i> |
| 17 Gadwall | | <i>Anas strepara</i> |
| 18 Gar | ganey | <i>Anas querquedula</i> |
| 19 | Grey wing | <i>Francolinus psilolaemus</i> |
| 20 Grey | Wing, Archer's | <i>Francolinus levaillantoides</i> |
| 21 Go | ose, Egyptian | <i>Alopochen aegyptiacus</i> |
| 22 Go | ose, Kob-Billed | <i>Sarkidiornis melanota</i> |
| 23 Go | ose, Spur-Winged | <i>Plectropterus gambensis</i> |
| 24 Gui | nea fowl, Tufted | <i>Numida meleagris</i> |
| 25 Mallard | | <i>Anas platyrhynchos</i> |
| 26 Par | tridge, Sand | <i>Ammoperdi heyi</i> |
| 27 Par | tridge, Stone | <i>Ptilopachus petrosus</i> |
| 28 Pi | geon, Speckled | <i>Columba guinea</i> |
| 29 Pi | ntail | <i>Anas acuta</i> |
| 30 Poc | hard | <i>Aythya ferina</i> |
| 31 Poc | hard, African | <i>Netta erythrophthalma</i> |
| 32 Poc | hard, white-eyed | <i>Aythya nyroca</i> |
| 33 Quai | l, Blue | <i>Coturnix chinensis</i> |

| No. | English Name | Scientific Name |
|--------------------------------|--------------|--------------------------------|
| 34 Quail, European | | <i>Coturnix coturnix</i> |
| 35 Quail, Harlequin | | <i>Coturnix delegorguei</i> |
| 36 Sandgrouse, Black-Faced | | <i>Pterocles decoratus</i> |
| 37 Sandgrouse Chestnut-Bellied | | <i>Pterocles exustus</i> |
| 38 Sandgrouse, Four-Banded | | <i>Pterocles quadricinctus</i> |
| 39 Sandgrouse, Lichtenstein's | | <i>Pterocles lichtensteini</i> |
| 40 Sandgrouse, Spotted | | <i>Pterocles sengallus</i> |
| 41 Sandgrouse Yellow-Throated | | <i>Pterocles gutturalis</i> |
| 42 Shoveler | | <i>Anas clypeata</i> |
| 43 Spur fowl, Yellow-Neck | | <i>Francolinus leucoscepus</i> |
| 44 Teal, Common | | <i>Anas crecca</i> |
| 45 Teal, Hottentot | | <i>Anas hottentota</i> |
| 46 Widgeon | | <i>Anas penelope</i> |
| 47 Widgeon, cape | | <i>Anas capensis</i> |

Table VII

List of Snipe Species allowed to be hunted by Foreign Tourist and Resident Hunters

| No | English Name | Scientific Name |
|----------------|--------------|----------------------------|
| 1 Great Snipe | | <i>Gallinago media</i> |
| 2 Common Snipe | | <i>Gallinago gallinago</i> |

Table VIII

List of Wildlife to be allowed for Live Trade, their Unit Prices and Export Fees

a) Mammals

| No. | English Name | Scientific Name | Unit price (USD) | Export fee (USD) |
|-----|------------------------|---------------------------|------------------|------------------|
| 1 | Boboon, Anubis | <i>Papio naubis</i> | 100 | 10 |
| 2 | Baboon, Hamadryas | <i>Papio hamadryas</i> | 1200 | 120 |
| 3 | Cat, Wild | <i>Felis silvestris</i> | 240 | 24 |
| 4 | Colobus, Black & White | <i>Colobus guereza</i> | 720 | 72 |
| 5 | Dikdik, Guenther's | <i>Madoqua guentheri</i> | 240 | 24 |
| 6 | Dikdik, Salt's | <i>Madoqua saltiana</i> | 400 | 40 |
| 7 | Duiker, Grey | <i>sylvicapra grimmia</i> | 440 | 44 |
| 8 | Fox, Bat-Eared | <i>Otocyon megalotis</i> | 360 | 36 |

| No. | English Name | Scientific Name | Unit price (USD) | Export fee (USD) |
|-----|------------------------------|----------------------------------|------------------|------------------|
| 9 | Genet, Common | <i>Genetta genetta</i> | 200 | 20 |
| 10 | Genet, Rusty-Spotted | <i>Genetta rubiginosa</i> | 200 | 20 |
| 11 | Hare, Abyssinian | <i>Lepus habessinicus</i> | 120 | 12 |
| 12 | Hyaena, Spotted | <i>Crocuta crocuta</i> | 220 | 22 |
| 13 | Jackal, Black-Backed | <i>Canis mesomelas</i> | 120 | 12 |
| 14 | Jackal, Golden | <i>Canis aureus</i> | 120 | 12 |
| 15 | Jackal, Side-Striped | <i>Canis adustus</i> | 120 | 12 |
| 16 | Lion (Excluding Ogaden race) | <i>Panthera leo</i> | 4800 | 480 |
| 17 | Mongoose, Egyptian | <i>Herpestes ichneumon</i> | 200 | 20 |
| 18 | Mongoose, Slender | <i>Herpestes sanguineus</i> | 200 | 20 |
| 19 | Mongoose, Southern Dwarf | <i>Helogale parvula</i> | 200 | 20 |
| 20 | Monkey, Grivet | <i>Cercopithecus aethiops</i> | 80 | 8 |
| 21 | Monkey, Vervet | <i>Cercopithecus pygerythrus</i> | 80 | 8 |
| 22 | Pig, Bush | <i>Potamochoerus porcus</i> | 200 | 20 |
| 23 | Porcupine | <i>Hystrix cristata</i> | 80 | 8 |
| 24 | Ratel | <i>Mellivora capensis</i> | 400 | 40 |
| 25 | Warthog | <i>Phacochoerus aethiopicus</i> | 400 | 40 |
| 26 | Zorilla | <i>Ictonyx striatus</i> | 200 | 20 |

b) Birds

| No | English name | Scientific name | Unit Price (USD) | Export Fee (USD) |
|----|---------------------------|-------------------------------|------------------|------------------|
| 1 | Avocet | <i>Recurvirostra avosetta</i> | 10 1. | 00 |
| 2 | Barbet, Black-Billed | <i>Lybius undatus</i> | 6 0. | 60 |
| 3 | Barbet, Double-Toothed | <i>Lybius bidentatus</i> | 6 0. | 60 |
| 4 | Bee-Eater, Blue-Breasted | <i>Merpos lafresnayii</i> | 8 0. | 80 |
| 5 | Bee-Eater, Carmine | <i>Merpos nubicus</i> | 8 0. | 80 |
| 6 | Bee-eater, European | <i>Merpos aspiaster</i> | 8 0. | 80 |
| 7 | Bee-Eater, White-Throated | <i>Merpos albicollis</i> | 8 0. | 80 |
| 8 | Bishop, Black-Winged | <i>Euplectes hordeaceus</i> | 6 0. | 60 |
| 9 | Bishop, West-Nile Red | <i>Euplectes franciscanus</i> | 6 0. | 60 |
| 10 | Bishop, Yellow | <i>Euplectes capensis</i> | 6 0. | 60 |
| 11 | Bishop, Yellow-Crowned | <i>Euplectes afer</i> | 6 0. | 60 |

| No | English name | Scientific name | Unit Price (USD) | Export Fee (USD) |
|----|----------------------------|-----------------------------------|------------------|------------------|
| 12 | Bulbul, White-Vented | <i>Pyconotus barabatus</i> | 4 0. | 40 |
| 13 | Cordon-Bleu, Red-Checked | <i>Uraeginthus bengalus</i> | 2 0. | 20 |
| 14 | Cuckoo, Emerald | <i>Chrysococcyx cupreus</i> | 8 0. | 80 |
| 15 | Cuckoo, Didric | <i>Chrysococcyx caprius</i> | 8 0. | 80 |
| 16 | Cuckoo, Klass | <i>Chrysococcyx klass</i> | 8 0. | 80 |
| 17 | Cut Throat | <i>Amadina fasciata</i> | 2 0. | 80 |
| 18 | Dove, Black-Billed Wood | <i>Turtur abyssinicus</i> | 6 0. | 60 |
| 19 | Dove, Blue-Spotted Wood | <i>Turtur afer</i> | 6 0. | 60 |
| 20 | Dove, Emerald-Spotted Wood | <i>Turtur chaloospiles</i> | 6 0. | 60 |
| 21 | Dove, Laughing | <i>Streptopelia senegalensis</i> | 6 0. | 60 |
| 22 | Dove, Lemon | <i>Apolopelia larvata</i> | 6 0. | 60 |
| 23 | Dove, Mourning | <i>Streptopelia descipiens</i> | 6 0. | 60 |
| 24 | Dove, Namaqua | <i>Oena capensis</i> | 6 0. | 60 |
| 25 | Dove, Pink-Headed | <i>Streptopelia lugens</i> | 6 0. | 60 |
| 26 | Dove, Pink-Breasted | <i>Streptopelia roseogrisea</i> | 6 0. | 60 |
| 27 | Dove, Red-Eyed | <i>Streptopelia semitorquata</i> | 6 0. | 60 |
| 28 | Dove, Ring-Necked | <i>Streptopelia capicola</i> | 6 0. | 60 |
| 29 | Dove, Tambourine | <i>Trutur typanistria</i> | 6 0. | 60 |
| 30 | Dove, Turtle | <i>Streptopelia turtur</i> | 6 0. | 60 |
| 31 | Dove, Vinaceous | <i>Streptopelia vinacea</i> | 10 0. | 60 |
| 32 | Duck, African Black | <i>Anas sparsa</i> | 10 1. | 00 |
| 33 | Duck, Fulvous Tree | <i>Dendrocygna bicolor</i> | 10 1. | 00 |
| 34 | Duck, Maccoa | <i>Oxyura maccoa</i> | 10 1. | 00 |
| 35 | Duck, Red-Billed | <i>Anas erythrorhynchos</i> | 10 1. | 00 |
| 36 | Duck, Tufted | <i>Aythya fuligula</i> | 10 1. | 00 |
| 37 | Duck, White-backed | <i>Thalassornis leuconotus</i> | 10 1. | 00 |
| 38 | Duck, White-Faced tree | <i>Dendrocygna viduata</i> | 10 1. | 00 |
| 39 | Duck, Yellow-Billed | <i>Anas undulata</i> | 10 1. | 00 |
| 40 | Firefinch, Red-Billed | <i>Logonosticta senegalus</i> | 2 0. | 20 |
| 41 | Fly Catcher, Paradise | <i>Terpsiphone viridis</i> | 8 0. | 80 |
| 42 | Francolin, Chestnut-naped | <i>Francolinus castaneicollis</i> | 10 1. | 00 |
| 43 | Francolin, Clapperton's | <i>Francolinus clappertoni</i> | 10 | 1.00 |
| 44 | Francolin, Coqui | <i>Francolinus coqui</i> | 10 | 1.00 |
| 45 | Francolin Crested | <i>Francolinus sephaena</i> | 10 | 1.00 |

| No | English name | Scientific name | Unit Price (USD) | Export Fee (USD) |
|----|----------------------------|------------------------------------|------------------|------------------|
| 46 | Francolin, Erckel's | <i>Francolinus erckelii</i> | 10 | 1.00 |
| 47 | Francolin Scaly | <i>Francolinus squamatus</i> | 10 | 1.00 |
| 48 | Gadwall | <i>Anas strepera</i> | 10 | 1.00 |
| 49 | Garganey | <i>Anas querquedula</i> | 10 | 1.00 |
| 50 | Grey Wing | <i>Francolinus psilolaemus</i> | 10 | 1.00 |
| 51 | Grey wing, Archer's | <i>Francolinus levaillantoides</i> | 10 | 1.00 |
| 52 | White-bellied Go-Away bird | <i>Corythaixoides leucogaster</i> | 14 | 1.40 |
| 53 | Goose, Egyptian | <i>Alopochen aegyptiaca</i> | 12 | 1.20 |
| 54 | Goose, Knob-billed | <i>Sarkidiornis melanota</i> | 16 | 1.60 |
| 55 | Goose, Spur-winged | <i>Plectropterus gamebensis</i> | 16 | 1.60 |
| 56 | Grenardier, Purple | <i>Uraeginthus ianthinogaster</i> | 10 | 1.00 |
| 57 | Guinea fowl, tufted | <i>Numida meleagris</i> | 10 | 1.00 |
| 58 | Guinea fowl, Vulturine | <i>Acryllium vulturine</i> | 20 | 2.00 |
| 59 | Hoopoe, African | <i>Upupa epops</i> | 12 | 1.20 |
| 60 | Hornbill, Red-billed | <i>Tockus erythrorhynchus</i> | 16 | 1.60 |
| 61 | Hornbill, Silvery-cheeked | <i>Bycanistes brevis</i> | 16 | 1.60 |
| 62 | Hornbill, Von der Decken's | <i>Tockus deckeni</i> | 16 | 1.60 |
| 63 | Ibis, Sacred | <i>Plegadis falcinellus</i> | 10 | 1.00 |
| 64 | Jacana, African | <i>Actophilornis africana</i> | 10 | 1.00 |
| 65 | Kingfisher, Giant | <i>Ceryle maxima</i> | 12 | 1.20 |
| 66 | Kingfisher, Grey-headed | <i>Halcyon laucocephala</i> | 12 | 1.20 |
| 67 | Kingfisher, Malachite | <i>Alcedo cristata</i> | 12 | 1.20 |
| 68 | Kingfisher, Pied | <i>Ceryle rudis</i> | 10 | 1.00 |
| 69 | Kingfisher, Woodland | <i>Halcyon senegalensis</i> | 10 | 1.00 |
| 70 | Mallard | <i>Anas platyrhynchos</i> | 10 | 1.00 |
| 71 | Mannikin, Bronze | <i>Lonchura cucullata</i> | 2 | 0.20 |
| 72 | Mousebird, Blue-naped | <i>Colius macrouris</i> | 8 | 0.80 |
| 73 | Oriole, Black-headed | <i>Oriolus larvatus</i> | 10 | 1.00 |
| 74 | Parrot, Orange-bellied | <i>Poicephalus rufiventris</i> | 12 | 1.20 |
| 75 | Partridge, Sand | <i>Ammoperdi heyi</i> | 10 | 1.00 |
| 76 | Partridge, Stone | <i>Ptilopachus petrosus</i> | 10 | 1.00 |
| 77 | Pigeon, Bruce's green | <i>Treron waalia</i> | 12 | 1.20 |
| 78 | Pigeon, Green | <i>Treron australis</i> | 12 | 1.20 |
| 79 | Pigeon, Olive | <i>Columba arquatrix</i> | 12 | 1.20 |

| No | English name | Scientific name | Unit Price (USD) | Export Fee (USD) |
|-----|---------------------------------|-----------------------------------|------------------|------------------|
| 80 | Pigeon, Rock | <i>Columba livia</i> | 10 | 1.00 |
| 81 | Pigeon, Speckled | <i>Columba guinea</i> | 8 | 0.80 |
| 82 | Pintail | <i>Anas acuta</i> | 10 | 1.00 |
| 83 | Plover, Spur-winged | <i>Vanellus spinosus</i> | 6 | 0.60 |
| 84 | Pochard, | <i>Aythya ferina</i> | 10 | 1.00 |
| 85 | Pochard, African | <i>Netta erythrophthalma</i> | 10 | 1.00 |
| 86 | Pochard, White-eyed | <i>Aythya nyroca</i> | 10 | 1.00 |
| 87 | Quail, Blue | <i>Coturnix chinensis</i> | 8 | 0.80 |
| 88 | Quail, European | <i>Coturnix cotrunix</i> | 8 | 0.80 |
| 89 | Quail, Harlequin | <i>Cotrunix delegorguei</i> | 8 | 0.80 |
| 90 | Roller, Abyssinian | <i>Coracias abyssinica</i> | 12 | 1.20 |
| 91 | Roller, Lilac-breasted | <i>Caracias caudata</i> | 12 | 1.20 |
| 92 | Sandgrouse, Black faced | <i>Pterocles, decoratus</i> | 6 | 0.60 |
| 93 | Sandgrouse, Chestnut-breasted | <i>Pterocles, exustus</i> | 6 | 0.60 |
| 94 | Sandgrouse, Four-banded | <i>Pterocles, quadricinctus</i> | 6 | 0.60 |
| 95 | Sandgrouse, Lichtenstein's | <i>Pterocles lichtensteinii</i> | 6 | 0.60 |
| 96 | Sandgrouse, Spotted | <i>Pterocles, Senegallus</i> | 6 | 0.60 |
| 97 | Sandgrouse, Yellow-throated | <i>Pterocles gutturalis</i> | 6 | 0.60 |
| 98 | Shoveler | <i>Anas clypeata</i> | 10 | 1.00 |
| 99 | Shrike, Grey-backed fiscal | <i>Lanius excubitorius</i> | 6 | 0.60 |
| 100 | Shrike, Fiscal | <i>Lanius collaris</i> | 4 | 0.40 |
| 101 | Sparrow, Grey-headed | <i>Passer griseus</i> | 2 | 0.20 |
| 102 | Sparrow, Swainson's | <i>Passer swainsonii</i> | 2 | 0.20 |
| 103 | Sparrow-weaver, stripe-breasted | <i>Plocepasser mahali</i> | 4 | 0.40 |
| 104 | Spurfowl, yellow-necked | <i>Francolinus leucoscepus</i> | 10 | 1.00 |
| 105 | Starling, blue-eared glossy | <i>Lamprotornis chalybaeus</i> | 6 | 0.60 |
| 106 | Starling, Ruppell's long-tailed | <i>Lamprotornis purpuropterus</i> | 6 | 0.60 |
| 107 | Starling, superb | <i>Spero superbus</i> | 6 | 0.60 |
| 108 | Starling, violet-backed | <i>Cinnyricinclus leuogester</i> | 6 | 0.60 |
| 109 | Starling, wattled | <i>Creatophora cinerea</i> | 8 | 0.80 |
| 110 | Stilt, black-winged | <i>Himantopus himantopus</i> | 10 | 1.00 |
| 111 | Sunbird, beautiful | <i>Nectarinia pulchella</i> | 8 | 0.80 |
| 112 | Sunbird, scarlet-chested | <i>Nectarinia senegalensis</i> | 8 | 0.80 |
| 113 | Sunbird, Tacazze | <i>Nectarinia tacazze</i> | 8 | 0.80 |

| No | English name | Scientific name | Unit Price (USD) | Export Fee (USD) |
|------|-------------------------------|-----------------------------|------------------|------------------|
| 114 | Sunbird, variable | <i>Nectarinia venusta</i> | 8 | 0.80 |
| 115 | Teal, common | <i>Anas crecca</i> | 10 | 1.00 |
| 116 | Teal, hottentot | <i>Anas hottentota</i> | 10 | 1.20 |
| 117. | Turaco, white-cheeked | <i>Tauraco leucotis</i> | 12 | 1.20 |
| 118 | Waxbill | <i>Estrilda astrild</i> | 2 | 0.20 |
| 119 | Waxbill, crimson-rumped | <i>Estrilda rhodopyga</i> | 2 | 0.20 |
| 120 | Waxbill, yellow-billed | <i>Estrilda melanotis</i> | 2 | 0.20 |
| 121 | Weaver, Baglafecht | <i>Ploceus baglafecht</i> | 4 | 0.40 |
| 122 | Weaver, black-headed | <i>Ploceus cucullatus</i> | 4 | 0.40 |
| 123 | Weaver, Ruppell's | <i>Ploceus galbula</i> | 4 | 0.40 |
| 124 | Weaver, masked | <i>Ploceus intermedius</i> | 4 | 0.40 |
| 125 | White-eye, white breasted | <i>Zosterops abyssinica</i> | 2 | 0.20 |
| 126 | Widow-bird, fan-tailed | <i>Euplectes axillaris</i> | 6 | 0.60 |
| 127 | Widow-bird, yellow shouldered | <i>Euplectes macrouris</i> | 6 | 0.60 |
| 128 | Wingon | <i>Anas penelope</i> | 10 | 1.00 |
| 129 | Wigeon, cape | <i>Anas capeensis</i> | 10 | 1.00 |
| 130 | Woodpecker, grey | <i>Mesopicos goertae</i> | 8 | 0.80 |
| 131 | Woodpecker, Nubian | <i>Campethera nubica</i> | 8 | 0.80 |

c) Snakes

| No. | English Name | Scientific Name | Unit Price (USD) | Export Fee (USD) |
|---------|------------------------|------------------------------------|------------------|------------------|
| 1 | Earth snake | <i>Rhinotyphlops pallidus</i> | 2.00. | 2 |
| 2 | Schlegel's Blind snake | <i>Rhinotyphlops schlegelii</i> | 2.00. | 2 |
| 3 | Earth snake | <i>Rhinotyphlops unitaeniatus</i> | 2.00. | 2 |
| 4 | Earth snake | <i>Typhlops cuneirostris</i> | 2.00. | 2 |
| 5 | Earth snake | <i>Typhlops lineolatus</i> | 2.00. | 2 |
| 6 | Thread snake | <i>Leptotyphlops cairi</i> | 2.00. | 2 |
| 7 | Thread snake | <i>Leptotyphlops macrorhynchus</i> | 2.00. | 2 |
| 8 | Black worm snake | <i>Leptotyphlops nigricans</i> | 2.00. | 2 |
| 9 Sand | Boa | <i>Eryx colubrinus</i> | 2.00. | 2 |
| 10 Sand | d Boa | <i>Eryx somalicus</i> | 2.00. | 2 |
| 11 | African Rock python | <i>Python sebae</i> | 10 1. | 00 |

| No. | English Name | Scientific Name | Unit Price (USD) | Export Fee (USD) |
|-----|-----------------------------|-----------------------------------|------------------|------------------|
| 12 | Typical snake | <i>Aeluroglena cucullata</i> | 2.0 0. | 2 |
| 13 | Typical snake | <i>Aparallactus jacksonii</i> | 2.0 0. | 2 |
| 14 | Reticulated centipede eater | <i>Aparallacatus lunulatus</i> | 2.0 0. | 2 |
| 15 | Typical snake | <i>Atractaspis fallax</i> | 2.0 0. | 2 |
| 16 | Burrowing Viper | <i>Atractaspis irregularis</i> | 2.0 0. | 2 |
| 17 | Typical snake | <i>Atractaspis magrettii</i> | 2.0 0. | 2 |
| 18 | Typical snake | <i>Atractaspis microlepidota</i> | 2.0 0. | 2 |
| 19 | Typical snake | <i>Atractaspis scorteccii</i> | 2.0 0. | 2 |
| 20 | Typical snake | <i>Coluber brevis</i> | 2.0 0. | 2 |
| 21 | Typical snake | <i>Coluber florulentus</i> | 2.0 0. | 2 |
| 22 | Typical snake | <i>Coluber rhodorachis</i> | 2.0 0. | 2 |
| 23 | Typical snake | <i>Coluber smithii</i> | 2.0 0. | 2 |
| 24 | Typical snake | <i>Coluber taylori</i> | 2.0 0. | 2 |
| 25 | Typical snake | <i>Coluber sp.</i> | 2.0 0. | 2 |
| 26 | Typical snake | <i>Crotaphopeltis degeni</i> | 2.0 0. | 2 |
| 27 | S nake | <i>Crotaphopeltis hotamboeia</i> | 2.0 0. | 2 |
| 28 | Common egg eating snake | <i>Dasypeltis scabra</i> | 1.5 0. | 15 |
| 29 | B oom slang | <i>Dispholidus typus</i> | 1.60 0. | 16 |
| 30 | Striped swamp snake | <i>Dromophis lineatus</i> | 2.0 0. | 2 |
| 31 | Common slug eater | <i>Duberria lutrix</i> | 2.0 0. | 2 |
| 32 | Sna ke | <i>Eirenis africana</i> | 2.0 0. | 2 |
| 33 | Sna ke | <i>Grayia tholloni</i> | 2.0 0. | 2 |
| 34 | Keller's bark snake | <i>Hemirhagerrhis kelleri</i> | 2.0 0. | 2 |
| 35 | Eastern bark snake | <i>Hemirhagerrhis nototaenia</i> | 2.0 0. | 2 |
| 36 | Brown mouse snake | <i>Lamprophis fuliginosus</i> | 2.0 0. | 2 |
| 37 | Cape wolf snake | <i>Lycophidion capense</i> | 2.0 0. | 2 |
| 38 | Sna ke | <i>Lycophidion depressirostre</i> | 2.0 0. | 2 |
| 39 | Sna ke | <i>Lycophidion taylori</i> | 2.0 0. | 2 |
| 40 | Cap file snake | <i>Mehelya capensis</i> | 2.0 0. | 2 |
| 41 | S nake | <i>Meizodon plumbiceps</i> | 2.0 0. | 2 |
| 42 | Regular bush snake | <i>Meizodon regularis</i> | 2.0 0. | 2 |
| 43 | Semiornate bush snake | <i>Meizodon semiornatus</i> | 2.0 0. | 2 |
| 44 | Black snake | <i>Micrelaps boettgeri</i> | 2.0 0. | 2 |
| 45 | Olive marsh snake | <i>Natriciteres olivacea</i> | 2.0 0. | 2 |

| No. | English Name | Scientific Name | Unit Price (USD) | Export Fee (USD) |
|-----|---------------------------------|-------------------------------------|------------------|------------------|
| 46 | Green snake | <i>Philothamnus battersbyi</i> | 2.00. | 2 |
| 47 | Green snake | <i>Philothamnus bequaerti</i> | 2.00. | 2 |
| 48 | Green snake | <i>Philothamnus heterolepidotus</i> | 2.00. | 2 |
| 49 | Green snake | <i>Philothamnus punctatus</i> | 2.00. | 2 |
| 50 | Spotted bush snake | <i>Philothamnus semivariegatus</i> | 2.00. | 2 |
| 51 | Snake | <i>Prosymna meleagris</i> | 2.00. | 2 |
| 52 | Snake | <i>Prosymna somalica</i> | 2.00. | 2 |
| 53 | Snake | <i>Prosymna ruspoli</i> | 2.00. | 2 |
| 54 | Dwarf sand snake | <i>Psammophis angolensis</i> | 2.00. | 2 |
| 55 | Eastern link-marked snake | <i>Psammophis biseriatus</i> | 2.00. | 2 |
| 56 | Snake | <i>Psammophis pulcher</i> | 2.00. | 2 |
| 57 | Speckled sand snake | <i>Psammophis punctulatus</i> | 2.00. | 2 |
| 58 | Snake | <i>Psammophis schokari</i> | 2.00. | 2 |
| 59 | Hissing Sand Snake | <i>Psammophis sibilans</i> | 2.00. | 2 |
| 60 | Snake | <i>Psammophis tanganicus</i> | 2.00. | 2 |
| 61 | Grey-bellied grass snake | <i>Psammophylax variabilis</i> | 2.00. | 2 |
| 62 | Eastern Beaked snake | <i>Rhamphiophis oxyrhynchus</i> | 2.00. | 2 |
| 63 | Red-spotted beaked snake | <i>Rhamphiophis rubropunctatus</i> | 2.00. | 2 |
| 64 | Peter's beaked snake | <i>Scaphiophis albopunctatus</i> | 2.00. | 2 |
| 65 | Large-eyed snake | <i>Telescopus dhara</i> | 2.00. | 2 |
| 66 | Snake | <i>Telescopus pulcher</i> | 2.00. | 2 |
| 67 | Black mamba | <i>Dendroaspis polylepis</i> | 2.00. | 2 |
| 68 | Garter snake | <i>Elapsoidea loveridgei</i> | 2.00. | 2 |
| 69 | Egyptian cobra | <i>Naja haje</i> | 2.00. | 2 |
| 70 | Forest cobra | <i>Naja melanoleuca</i> | 2.00. | 2 |
| 71 | Black-necked spitting cobra | <i>Naja nigricollis</i> | 2.00. | 2 |
| 72 | Snake | <i>Naja Pallida</i> | 2.00. | 2 |
| 73 | Puff adder | <i>Bitis arietans</i> | 2.00. | 2 |
| 74 | Snake | <i>Causus maculatus</i> | 2.00. | 2 |
| 75 | Snake velvety green night adder | <i>Causus resimus</i> | 2.00. | 2 |
| 76 | Snake rhombic night adder | <i>Causus rhombeatus</i> | 2.00. | 2 |
| 77 | Snake | <i>Echis pyramidum</i> | 2.00. | 2 |
| 78 | Snake | <i>Echis varia</i> | 2.00. | 2 |

d) Lizards and Agama

| No | English Name | Scientific Name | Unit Price USD | Export Fee (USD) |
|-----------|----------------------|-----------------------------------|-----------------------|-------------------------|
| 1 | G ecko | <i>Cnemaspis dickersoni</i> | 1.6 0. | 16 |
| 2 | Gecko | <i>Cyrtodactylus scaber</i> | 1.6 0. | 16 |
| 3 | Gecko | <i>Hemidactylus albopunctatus</i> | 1.6 0. | 16 |
| 4 | Gecko | <i>Hemidactylus barodanus</i> | 1.6 0. | 16 |
| 5 | Gecko | <i>Hemidactylus brookii</i> | 1.6 0. | 16 |
| 6 | Gecko | <i>Hemidactylus curlei</i> | 1.6 0. | 16 |
| 7 | Gecko | <i>Hemidactylus flaviviridis</i> | 1.6 0. | 16 |
| 8 | Gecko | <i>Hemidactylus isolepis</i> | 1.6 0. | 16 |
| 9 | Gecko | <i>Hemidactylus jubensis</i> | 1.6 0. | 16 |
| 10 | Tropical House Gecko | <i>Hemidactylus laticaudatus</i> | 1.6 0. | 16 |
| 11 | Gecko | <i>Hemidactylus mabouia</i> | 1.6 0. | 16 |
| 12 | Gecko | <i>Hemidactylus macropholis</i> | 1.6 0. | 16 |
| 13 | Gecko | <i>Hemidactylus ophiolepis</i> | 1.6 0. | 16 |
| 14 | Gecko | <i>Hemidactylus parkeri</i> | 1.6 0. | 16 |
| 15 | Gecko | <i>Hemidactylus robustus</i> | 1.6 0. | 16 |
| 16 | Gecko | <i>Hemidactylus ruspolii</i> | 1.6 0. | 16 |
| 17 | Gecko | <i>Hemidactylus sinaitus</i> | 1.6 0. | 16 |
| 18 | Gecko | <i>Hemidactylus smithi</i> | 1.6 0. | 16 |
| 19 | Gecko | <i>Hemidactylus tropidolepis</i> | 1.6 0. | 16 |
| 20 | Gecko | <i>Hemidactylus somalicus</i> | 1.6 0. | 16 |
| 21 | Gecko | <i>Hemitheconyx taylori</i> | 1.6 0. | 16 |
| 22 | Clawed Gecko | <i>Holodactylus africanus</i> | 1.6 0. | 16 |
| 23 | Gecko | <i>Homopholis fasciata</i> | 1.6 0. | 16 |
| 24 | Gecko | <i>Lygodactylus gutturalis</i> | 1.6 0. | 16 |
| 25 | Gecko | <i>Lygodactylus keniensis</i> | 1.6 0. | 16 |
| 26 | Gecko | <i>Lygodactylus scorteccii</i> | 1.6 0. | 16 |
| 27 | Gecko | <i>Lygodactylus somalicus</i> | 1.6 0. | 16 |
| 28 | Gecko | <i>Lygodactylus sudanensis</i> | 1.6 0. | 16 |
| 29 | Gecko | <i>Pristurus crucifer</i> | 1.6 0. | 16 |
| 30 | Gecko | <i>Pristurus phillipsi</i> | 1.6 0. | 16 |
| 31 | Gecko | <i>Pristurus rupestris</i> | 1.6 0. | 16 |
| 32 | Gecko | <i>Pristurus flavipunctatus</i> | 1.6 0. | 16 |
| 33 | Gecko | <i>Ptyodactylus hasselquistii</i> | 1.6 0. | 16 |

| No | English Name | Scientific Name | Unit Price USD | Export Fee (USD) |
|----|-----------------------------|-------------------------------------|----------------|------------------|
| 34 | Gecko | <i>Stenodactylus sthenodactylus</i> | 1.6 0. | 16 |
| 35 | Gecko | <i>Tarentola annularis</i> | 1.6 0. | 16 |
| 36 | Red-headed rock agama | <i>Agama agama</i> | 1.6 0. | 16 |
| 37 | Agama | <i>Agama cornii</i> | 1.20 0. | 12 |
| 38 | Agama | <i>Agama doriae</i> | 1.20 0. | 12 |
| 39 | Agama | <i>Agama hartmanni</i> | 1.20 0. | 12 |
| 40 | Agama | <i>Agama persimilis</i> | 1.20 0. | 12 |
| 41 | Agama | <i>Agama rueppelli</i> | 1.20 0. | 12 |
| 42 | Agama | <i>Agama sinaita</i> | 1.20 0. | 12 |
| 43 | Agama | <i>Agama spinosa</i> | 1.20 0. | 12 |
| 44 | Agama | <i>Agama annectens</i> | 1.20 0. | 12 |
| 45 | Black-necked tree Agama | <i>Stellio atricollis</i> | 1.20 0. | 12 |
| 46 | Agama | <i>Stellio cyanogaster</i> | 1.20 0. | 12 |
| 47 | Agama | <i>Stellio phillipsi</i> | 1.20 0. | 12 |
| 48 | Agama | <i>Stellio zonura</i> | 1.20 0. | 12 |
| 49 | Spiny-Tailed lizard | <i>Uromastix ocellata</i> | 1.20 0. | 12 |
| 50 | Somali Strange tailed Agama | <i>Xenagama batillifera</i> | 1.20 0. | 12 |
| 51 | Taylor's Strange Agama | <i>Xenagama taylori</i> | 1.20 0. | 12 |
| 52 | Chamaeleon | <i>Chamaeleo affinis</i> | 2.60 0. | 26 |
| 53 | Chamaeleon | <i>Chamaeleo africanus</i> | 2.60 0. | 26 |
| 54 | Montane chamaeleon | <i>Chamaeleo bitaeniatus</i> | 2.60 0. | 26 |
| 55 | Awas h chamaeleon | <i>Chamaeleo calcaricarenis</i> | 2.60 0. | 26 |
| 56 | Flap-necked chamaeleon | <i>Chamaeleo dilepis</i> | 2.60 0. | 26 |
| 57 | Graceful chamaeleon | <i>Chamaeleo gracilis</i> | 2.60 0. | 26 |
| 58 | Ruspoli's chamaeleon | <i>Chamaeleo ruspolii</i> | 2.60 0. | 26 |
| 59 | Chamaeleon | <i>Chamaeleo senegalensis</i> | 1.20 0. | 12 |
| 60 | Kersten's leaf chamaeleon | <i>Rhampholeon kerstenii</i> | 1.20 0. | 12 |
| 61 | Skink | <i>Chalcides ocellatus</i> | 1.20 0. | 12 |
| 62 | Skink | <i>Chalcides ragazzii</i> | 1.20 0. | 12 |
| 63 | Mozambique writhing skink | <i>Lygosoma afrom</i> | 1.20 0. | 12 |
| 64 | Skink | <i>Lygosoma paedocarinatum</i> | 1.20 0. | 12 |
| 65 | Sundevall's writhing skink | <i>Lygosoma sundevalli</i> | 1.20 0. | 12 |
| 66 | Skink | <i>Lygosoma vinciguerrae</i> | 1.20 0. | 12 |
| 67 | Short-necked skink | <i>Mabuya brevicollis</i> | 1.20 0. | 12 |

| No | English Name | Scientific Name | Unit Price USD | Export Fee (USD) |
|----|----------------------------------|----------------------------------|----------------|------------------|
| 68 | Short-necked skink | <i>Mabuya hildebrandti</i> | 1.20 0. | 12 |
| 69 | Short-necked skink | <i>Mabuya iselli</i> | 1.20 0. | 12 |
| 70 | Speckle-lipped skink | <i>Mabuya maculilabris</i> | 1.20 0. | 12 |
| 71 | Grass-top skink | <i>Mabuya megalura</i> | 1.20 0. | 12 |
| 72 | Long-tailed skink | <i>Mabuya planifrons</i> | 1.20 0. | 12 |
| 73 | Five-lined skink | <i>Mabuya quinquetaeniata</i> | 1.20 0. | 12 |
| 74 | Striped skink | <i>Mabuya striata</i> | 1.20 0. | 12 |
| 75 | Variable skink | <i>Mabuya varia</i> | 1.20 0. | 12 |
| 76 | Skink | <i>Mabuya wingatii</i> | 1.20 0. | 12 |
| 77 | Skink | <i>Panaspis tancredii</i> | 1.20 0. | 12 |
| 78 | Wahlberg's snake eyed skink | <i>Panaspis wahlbergii</i> | 1.20 0. | 12 |
| 79 | Rock lizard | <i>Acanthodactylus boskianus</i> | 1.20 0. | 12 |
| 80 | Rock lizard | <i>Heliobolus spekii</i> | 1.20 0. | 12 |
| 81 | Rock lizard | <i>Heliobolus neumanni</i> | 1.20 0. | 12 |
| 82 | Rock lizard | <i>Latastia boscai</i> | 1.20 0. | 12 |
| 83 | Rock lizard | <i>Latastia caeruleopunctata</i> | 1.20 0. | 12 |
| 84 | Rock lizard | <i>Latastia doriai</i> | 1.20 0. | 12 |
| 85 | Rock lizard | <i>Latastia longicaudata</i> | 1.20 0. | 12 |
| 86 | Rock lizard | <i>Pseuderemias brenneri</i> | 1.20 0. | 12 |
| 87 | Rock lizard | <i>Pseuderemias mucronata</i> | 1.20 0. | 12 |
| 88 | Rock lizard | <i>Pseuderemias smithii</i> | 1.20 0. | 12 |
| 89 | Rock lizard | <i>Pseuderemias striata</i> | 1.20 0. | 12 |
| 90 | Rock lizard | <i>Philochortus hardeggeri</i> | 1.20 0. | 12 |
| 91 | Rock lizard | <i>Philochortus intermedius</i> | 1.20 0. | 12 |
| 92 | Rock lizard | <i>Philochortus phillipsi</i> | 1.20 0. | 12 |
| 93 | Rock lizard | <i>Philochortus spinalis</i> | 1.20 0. | 12 |
| 94 | East African spiny tailed lizard | <i>Cordylus tropidosternum</i> | 1.20 0. | 12 |
| 95 | Yellow-throated plated lizard | <i>Gerrhosaurus flavigularis</i> | 1.30 0. | 130 |
| 96 | Rough-scaled plated lizard | <i>Gerrhosaurus major</i> | 1.50 0. | 150 |

e) Monitor Lizards

| No | English Name | Scientific Name | Unit Price USD | Export Fee USD |
|----|------------------------|--------------------------------|----------------|----------------|
| 1 | White-throated monitor | <i>Varanus albigularis</i> | 3.6 0. | 36 |
| 2 | Rock monitor | <i>Varanus exanthematicus</i> | 1.50 0. | 150 |
| 3 | Water monitor | <i>Varanus niloticus</i> | 3.00 0. | 30 |
| 4 | Amphisbaenians | <i>Ancylocranium somalicum</i> | 0.12 0. | 012 |

f) Frogs and Toads

| No. | English Name | Scientific Name | Unit Price (USD) | Export Fee (USD) |
|-----|-----------------------|------------------------------------|------------------|------------------|
| 1 | Toad | <i>Bufo regularis</i> | 1.20 0. | 12 |
| 2 | Toad | <i>Bufo garmani</i> | 1.20 0. | 12 |
| 3 | Toad | <i>Bufo xeros</i> | 1.20 0. | 12 |
| 4 | Toad | <i>Bufo dodsoni</i> | 1.20 0. | 12 |
| 5 | Toad | <i>Bufo blanfordii</i> | 1.20 0. | 12 |
| 6 | Toad | <i>Bufo langanoensis</i> | 1.20 0. | 12 |
| 7 | Toad | <i>Bufo kerinyagae</i> | 1.20 0. | 12 |
| 8 | Toad | <i>Bufo asmarae</i> | 1.20 0. | 12 |
| 9 | Toad | <i>Bufo pentoni</i> | 1.20 0. | 12 |
| 10 | Toad | <i>Bufo lughensis</i> | 1.20 0. | 12 |
| 11 | Toad | <i>Bufo steindachneri</i> | 1.20 0. | 12 |
| 12 | Toad | <i>Bufo maculatus</i> | 1.20 0. | 12 |
| 13 | Kassina and reed frog | <i>Leptopelis bocagii</i> | 1.20 0. | 12 |
| 14 | Frog | <i>Afrixalus quadrivittatus</i> | 1.20 0. | 12 |
| 15 | Frog | <i>Afrixalus vittiger</i> | 1.20 0. | 12 |
| 16 | Frog | <i>Hyperolius nasutus</i> | 1.20 0. | 12 |
| 17 | Frog | <i>Hyperolius viridiflavus</i> | 1.20 0. | 12 |
| 18 | Frog | <i>Kassina senegalensis</i> | 1.20 0. | 12 |
| 19 | Frog | <i>Phrynomerus bifasciatus</i> | 1.20 0. | 12 |
| 20 | Foam nest frog | <i>Chiromantis petersii</i> | 1.20 0. | 12 |
| 21 | Shovel snouted frog | <i>Hemisis marmoratus</i> | 1.20 0. | 12 |
| 22 | Frog | <i>Hildebrandtia macrotympanum</i> | 1.20 0. | 12 |
| 23 | Frog | <i>Hylarana galamensis</i> | 1.20 0. | 12 |
| 24 | Frog | <i>Rana angolensis</i> | 1.20 0. | 12 |

| No. | English Name | Scientific Name | Unit Price (USD) | Export Fee (USD) |
|-----|--------------|---------------------------------------|------------------|------------------|
| 25 | Fr og | <i>Rana occipitalis</i> | 1.20 0. | 12 |
| 26 | Fr og | <i>Rana wittei</i> | 1.20 0. | 12 |
| 27 | Fr og | <i>Tomopterna cryptotis</i> | 1.20 0. | 12 |
| 28 | Fr og | <i>Ptychadena anchietae</i> | 1.20 0. | 12 |
| 29 | Fr og | <i>Ptychadena mascareniensis</i> | 1.20 0. | 12 |
| 30 | Fr og | <i>Ptychadena pumilio</i> | 1.20 0. | 12 |
| 31 | Fr og | <i>Ptychadena porosissima</i> | 1.20 0. | 12 |
| 32 | Fr og | <i>Ptychadena schillukorum</i> | 1.20 0. | 12 |
| 33 | Fr og | <i>Phrynobatrachus bottegi</i> | 1.20 0. | 12 |
| 34 | Fr og | <i>Phrynobatrachus natalensis</i> | 1.20 0. | 12 |
| 35 | Fr og | <i>Phrynobatrachus acridoides</i> | 1.20 0. | 12 |
| 36 | Fr og | <i>Phrynobatrachus cf perpalmatus</i> | 1.20 0. | 12 |
| 37 | Fr og | <i>Phrynobatrachus minutus</i> | 1.20 0. | 12 |
| 38 | Fr og | <i>Cacosternum boettgeri</i> | 1.20 0. | 12 |

Table IX
Wildlife Products Export Fee

| No. | English Name | Single & Cape Skin | Carpet single | Carpet | | | Head mount | Full mount | Horn | Teeth | Skull | Egg |
|-----|------------------------|--------------------|---------------|--------|---------|-------|------------|------------|------|-------|-------|------|
| | | Birr | Birr | Small | Medium | Large | Birr | Birr | Birr | Birr | Birr | Birr |
| 1 | Baboon, anubis | 20 10 | | 20 | 30 | 50 | 30 | 50 | - | - | 20 | - |
| 2 | Baboon, gelada | 40 10 | | 60 | 80 | 90 | 80 | 110 | - | - | 50 | - |
| 3 | Baboon, hamadryas | 40 10 | | 50 | 60 | 80 | 60 | 90 | - | - | 40 | - |
| 4 | Bushbuck, common | 20 10 | | 30 | 50 | 70 | 70 | 120 | 30 | - | 30 | - |
| 5 | Bushbuck, Menelik's | 30 20 | | 50 | 80 | 110 | 110 | 180 | 40 | - | 40 | - |
| 6 | Buffalo | 30 | - - | | - | 30 50 | | 100 | 30 | - | 30 | - |
| 7 | Caracal | 30 20 | | 50 | 60 | 80 | 80 | 110 | - | - | 40 | - |
| 8 | Cat, wild | 40 | 20 | 80 | 110 180 | | 80 | 180 | - | - 40 | | - |
| 9 | Colobus, black & white | 20 | 10 | 80 | 110 150 | | 60 | 110 | - | - 20 | | - |
| 10 | Crocodile, Nile | 150 | - | - | - | 100 | 180 | 110 | - | - | 50 | - |
| 11 | Dikdik, Guenther's | 10 10 | | 30 | 40 | 60 | 50 | 70 | 10 | - | 20 | - |
| 12 | Dikdik, Salt's | 10 10 | | 30 | 40 | 60 | 50 | 70 | 10 | | 20 | - |
| 13 | Duiker, grey | 10 10 | | 30 | 40 | 60 | 50 | 70 | 10 | | 20 | - |
| 14 | Fox, bat-eared | 30 10 | | 40 | 50 | 70 | 50 | 70 | - | | 20 | - |
| 15 | Gazelle, Grant's | 20 10 | | 30 | 50 | 70 | 170 | 120 | 30 | | 30 | |
| 16 | Gazelle, Soemmerring's | 20 10 | | 30 | 50 | 70 | 170 | 120 | 30 | - | 30 | |

| No. | English Name | Single & Cape Skin | Carpet single | Carpet | | | Head mount | Full mount | Horn | Teeth | Skull | Egg |
|-----|--------------------------|--------------------|---------------|--------|----------|-------|------------|------------|------|-------|-------|------|
| | | | | Small | Medium | Large | | | | | | |
| | | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr |
| 17 | Genet, common | 20 10 | | 30 | 40 | 50 | 50 | 70 | - | - | 30 | |
| 18 | Genet, rusty-spotted | 20 10 | | 30 | 40 | 50 | 50 | 70 | - | - | 30 | |
| 19 | Gerenuk | 30 10 | | 30 | 40 | 50 | 50 | 70 | 30 | - | 30 | |
| 20 | Hare, Abyssinian | 20 10 | | 30 | 50 | 70 | 30 | 50 | - | - | 20 | |
| 21 | Hartebeest, Lelwel | 30 | 10 | 30 | 40 | - | 40 | 70 | 30 | - | 30 | |
| 22 | Hippopotamus | 20 | - | 10 | 20 | - | 110 | 220 | - | 40 | 40 | |
| 23 | Hog, giant forest | 20 - | | - | - | - | 40 | 60 | - | 30 | 30 | |
| 24 | Hyaena, spotted | 30 10 | | 30 | 50 | 70 | 50 | 70 | - | - | 30 | |
| 25 | Hyrax, Rock | 10 10 | | 30 | 50 | 70 | 30 | 50 | - | - | 20 | |
| 26 | Jackal, black-backed | 30 | 10 | 40 | 50 | 70 | 50 | 70 | - | - | 20 | |
| 27 | Jackal, golden | 30 10 | | 40 | 50 | 70 | 50 | 70 | - | - | 20 | |
| 28 | Jackal, side- striped | 30 10 | | 40 | 50 | 70 | 40 | 70 | - | - | 20 | |
| 29 | Klipspringer | 20 10 | | 30 | 30 | 50 | 40 | 50 | 20 | - | 20 | |
| 30 | Kudu, greater | 40 20 | | 30 | 50 | 70 | 60 | 120 | 30 | - | 30 | |
| 31 | Kudu, lesser | 40 20 | | 30 | 50 | 70 | 60 | 120 | 30 | - | 30 | |
| 32 | Leopard | 730 | 550 | 550 | 730 1090 | | 900 | 1090 | - | - 40 | | |
| 33 | Lion | 220 180 | | 110 | 150 | 180 | 290 | 510 | - | - | 40 | |
| 34 | Mongoose, Egyptian | 20 10 | | 30 | 40 | 50 | 50 | 70 | - | - | 30 | |
| 35 | Mongoose, slender | 20 10 | | 30 | 40 | 50 | 50 | 70 | - | - | 30 | |
| 36 | Mongoose, southern dwarf | 20 10 | | 30 | 40 | 50 | 50 | 70 | - | - | 30 | |
| 37 | Monkey, blue | 20 10 | | 50 | 60 | 80 | 40 | 60 | - | - | 20 | |
| 38 | Monkey, grivet | 20 10 | | 50 | 60 | 80 | 40 | 60 | - | - | 20 | |
| 39 | Monkey, vervet | 20 10 | | 50 | 60 | 80 | 40 | 60 | - | - | 20 | |
| 40 | Nyala, mountain | 60 20 | | 50 | 80 | 110 | 90 | 180 | 40 | - | 40 | |
| 41 | Oribi | 30 10 | | 40 | 50 | 70 | 50 | 70 | 20 | - | 20 | |
| 42 | Oryx | 40 20 | | 30 | 50 | 70 | 60 | 120 | 30 | - | 30 | |
| 43 | Otter | 20 | 10 | 40 | 50 | 70 | 30 | 50 | - | | 20 | |
| 44 | Ostrich | 150 | - | - | - | 100 | - | 110 | 25* | 50** | - | 18 |
| 45 | Pig, bush | 20 | | - | - | - | 40 | 60 | - | 30 | 30 | |
| 46 | Porcupine | - | | - - | | - | 20 | 30 | - | - 2 | 0 | |
| 47 | Ratel | 20 10 | | 40 | 50 | 70 | 50 | 70 | - | | 20 | |
| 48 | Reedbuck, (both species) | 20 | 10 | 30 | 40 | 50 | 40 | 50 | 20 | | 20 | |
| 49 | Serval | 40 20 | | 80 | 110 | 180 | 80 | 180 | - | | 40 | |
| 50 | Tiang | 30 10 | | 30 | 40 | 50 | 40 | 70 | 30 | | 30 | |
| 51 | Warthog | 20 - | | - | - | - | 40 | 60 | - | 30 | 90 | |
| 52 | Zorilla | 30 10 | | 40 | 50 | 70 | 50 | 70 | - | - | 20 | |
| 53 | eland | 40 | 20 | 30 | 50 | 70 | 60 | 180 | 30 | - | 30 | |
| 54 | Roan Antelope | 40 | 20 | 30 | 50 | 70 | 60 | 120 | 30 | | 30 | |
| 55 | Cheetah | 730 | 550 | 550 | 730 | 1090 | 910 | 1090 | - | | 40 | |

| No. | English Name | Single & Cape Skin | Carpet single | Carpet | | | Head mount | Full mount | Horn | Teeth | Skull | Egg |
|------|-----------------------|--------------------|---------------|--------|--------|-------|------------|------------|------|-------|-------|------|
| | | | | Small | Medium | Large | | | | | | |
| | | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr | Birr |
| 56 Z | ebra(both species) | 180 | 220 | 220 | 290 | 360 | 290 | 440 | - | | 40 | |
| 57 | Ranch Nile crocodile, | 7.50 | - | - | - | - | - | - | - | - | - | |
| 58 | Tail | 10 | | | | | | | | | | |

* nails

** bones, feather/kg

Table X
Protected Species

| No. | English Name | Scientific Name |
|-----|--------------------------|--------------------------------------|
| 1 | Aardvark | <i>Orycteropus afer</i> |
| 2 | Aardwolf | <i>Proteles cristatus</i> |
| 3 | Antelope, beira | <i>Dorcatragus melanotis</i> |
| 4 | Antelope, roan | <i>Hippotragus equinus</i> |
| 5 | Ass, wild | <i>Equus asinus africanus</i> |
| 6 | Bush crow, Ethiopian | <i>Zavattariornis stresemanni</i> |
| 7 | Cheetah | <i>Acinonyx jubatus</i> |
| 8 | Crake, corn | <i>Crex crex</i> |
| 9 | Crane, wattled | <i>Grus carunculatus</i> |
| 10 | Dibatag | <i>Ammodorcas clarkei</i> |
| 11 | Duck, ferruginous | <i>Aythya nyroca</i> |
| 12 | Eagle, greater spotted | <i>Aquila clanga</i> |
| 13 | Eagle, imperial | <i>Aquila heliaca</i> |
| 14 | Eland | <i>Tragelaphus oryx</i> |
| 15 | Falcon, Taita | <i>Falco fasciinucha</i> |
| 16 | Fluff tail, white-winged | <i>Sarothrura ayresi</i> |
| 17 | Francolin, Harwood's | <i>Francolinus harwoodi</i> |
| 18 | Gazelle, Pelzeln's | <i>Gazella pelzelni</i> |
| 19 | Gazelle, Speke's | <i>Gazelle spekei</i> |
| 20 | Giraffe | <i>Giraffa camelopardalis</i> |
| 21 | Hartebeest, Swayne's | <i>Alcelaphus buselaphus swaynei</i> |
| 22 | Hartebeest, tora | <i>Alcelaphus buselaphus tora</i> |
| 23 | Hunting dog | <i>Lycaon pictus</i> |
| 24 | Hyaena, striped | <i>Hyaena hyaena</i> |
| 25 | Ibex, walia | <i>Capra walie</i> |

| No. | English Name | Scientific Name |
|-----|--------------------------|----------------------------------|
| 26 | Kestrel, lesser | <i>Falco naumanni</i> |
| 27 | Lark, Degodi | <i>Mirafra degodiensis</i> |
| 28 | Lark, Sidamo | <i>Heteromirafra sidamoensis</i> |
| 29 | Monkey, De Brazza's | <i>Cercopithecus neglectus</i> |
| 30 | Monkey, patas | <i>Erythrocebus patas</i> |
| 31 | Pangolin, ground | <i>Smutsia temminckii</i> |
| 32 | Rhinoceros, black | <i>Diceros bicornis</i> |
| 33 | Serin, Ankober | <i>Serinus ankoberensis</i> |
| 34 | Serin, Salvadori's | <i>Serinus xantholaema</i> |
| 35 | Serin, yellow-throated | <i>Serinus flavigula</i> |
| 36 | Swallow, white-tailed | <i>Hirundo megaensis</i> |
| 37 | Turaco, Prince Ruspoli's | <i>Tauraco ruspolii</i> |
| 38 | Wolf, Ethiopian | <i>Canis simensis</i> |
| 39 | Zebra, Burchell's | <i>Equus burchellii</i> |
| 40 | Zebra, Grevy's | <i>Equus grevyi</i> |
| 41 | Dugong | <i>Dugong dugong</i> |
| 42 | Ground Pangolin | <i>Phataginus temminckii</i> |
| 43 | Lammergeyer | <i>Gypaetus barbatus</i> |
| 44 | Waldrap | <i>Geronticus eremita</i> |
| 45 | White Collared pigeon | <i>Streptopelia reichenowi</i> |
| 46 | Peregrine Falcon | <i>Apus myioptilus</i> |
| 47 | Female & Juvenile | <i>Any species</i> |
| 48 | Elephant | <i>Laxodonta africana</i> |